NSTRUCTIONS

S E Form 10-306 (Oct. 1972)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM FOR FEDERAL PROPERTIES

STATE:	
countyIndiana	
Marion FOR NPS USE ONLY	· · ·
ENTRY DATE	

(Type all entrie	s - complete appli	cable se	ectionsy	E	NTRY DATE			
1. NAME								800000	888
COMMON:	Federal B	uilding	***************************************						
AND/OR HIST					_				
	United Sta	ates Courthou	ise ar	nd Post	Office				
2. LOCATION									
STREET AND	46 East Ol	nio Street							*
CITY OR TOW		TTO DELEGE			COMODECCIO				_
	Indianapol	lis				IAL DISTRICT: Indiana			
STATE:		rest e.		CODE	COUNTY:		co	DE	
3. CLASSIFICATI	Indiana		******************************	18	Mari	on	09	7	1
	EGORY								
	k One)		OWNERS	HIP	•	STATUS	ACCESSIBE	LE	
District	X Building	X Public	Public	Acquisiti	on:	X Occupied	Yes:		-
?	Site Structure Private In Process						Tes: ☐XRestricted		Ì
	Object Being Considered Preservation work Unrestrict								
PRESENTING	(Charles o					in progress	□ No		
Agricultura		More as Appropriate)							
Commercial	A- 1 40	-] Park] Privata	Residenc		ransportation	Comments		
Educational	l Mi] Religio		:e [_](ther (Specify)			
Entertainme	nt Mu	-] Scienti						
4. AGENCY									
,	Conomal Ca			_				1	SI.
REGIONAL HE	General Se	rvices Admin	istra	tion		and the section of the	· · ·	- 5	ſΑŢΙ
	<u> </u>				SIREETA	ND NUMBER:		Indiana	Ø
CITY OR TOWN	1:		,		STATE:		CODE	an	
5. LOCATION OF	LECAL SECO	D1101111111		- () 			277 1277	100	
COURTHOUSE,	REGISTRY OF	KUT HUM DEEDS, ETC:							
	Recorder's	Office City	-Coun	ty Bui	lding			×	00
1 - 1 - 1 - 1	OMBER:							Mar	COUNT
CITY OR TOWN	200 East W	ashington St	reet					ion	- ≾
.	Indianapol	is			STATE:		CODE		
					Indi	ana	18	_	_
6. REPRESENTAT	ION IN EXIST	NG SURVEYS					1 10		
TITLE OF SUR		77.1		-					p
DATE OF SURV	Indiana - ^{EY:} Jan. 1	Historic Pres	serva	tion P	rograms a	nd Survey	·		ENTRY
DEPOSITORY F	OR SURVEY RE	CORDS:		(X) 31	Jie L.J	County Loc	:al		ZUM
	<u> Historic L</u>	andmarks Four	ndati	on of	Indiana	V.			NOMBE
I WINE SI AND N	LIMBER:	vard Place		-					72
CITY OR TOWN:					STATE:		·	,	
	Indianapol	is			India	ana	CODE 18		
· -					· ·				DATE
							Į		(F)

EEINSTR	m - N S	m - N S	m - z	m	m			0,	0
INST	- N	- N	z	_		m	П		m
N S T	Z Z	Z Z	Z					m	m
S T	S	S		_		_	m		
-				Z	_		_	m	Z
	-		S		Z		_	m	S
20		-		S		Z	z	m - z	-
	70		_		S	Z Z	- N	m - N S	
	_		70	T R	STR	NSTR	INSTR	EINSTR	
0		R U	70	T R	STR	NSTR	INSTR	EINSTR	0
			R □	T R U	STRU	NSTRU	INSTRU	EINSTRU	-
-	CT	UCT	RUCT	TRUCT	STRUCT	NSTRUCT	INSTRUCT	EINSTRUCT	
	CT	UCT	RUCT	TRUCT	STRUCT	NSTRUCT	INSTRUCT	EINSTRUCT	0
TIO	CTIO	UCTIO	RUCTIO	TRUCTIO	STRUCTIO	NSTRUCTIO	INSTRUCTIO	EINSTRUCTIO	7
TIO	CTIO	UCTIO	RUCTIO	TRUCTIO	STRUCTIO	NSTRUCTIO	INSTRUCTIO	EINSTRUCTIO	
TON	CTION	UCTION	RUCTION	TRUCTION	STRUCTION	NSTRUCTION	INSTRUCTION	EINSTRUCTION	S
TON	CTION	UCTION	RUCTION	TRUCTION	STRUCTION	NSTRUCTION	INSTRUCTION	EINSTRUCTION	
N S T	Z Z	Z Z	Z					m	m

DESCRIPTION	•											
		(Check One)										
CONDITION	<u> ∏X</u> Excellent	Good	☐ Fair	Deteriorated	Ruins	Unexposed						
CONDITION		(Check One)		(Check O	ne)						
	X Alte	ered] Unaltered		Moved X	Original Site						

DESCRIBE THE PRESENT AND ORIGINAL (if known) PHYSICAL APPEARANCE The building, located on the block bounded by Ohio St., Meridian St., Pennsylvania St., and New York St., was designed to house federal courts. offices, and the main city postoffice. These functions were accommodated in a four-story extended U-shaped building 91 ft. high, 172.5 ft. wide, and 355.5 ft. long, with its symmetrical long facade facing south on to Ohio Street. The structure is of steel, the floors and flat roof of reinforced concrete, and the exterior walls are sheathed in Indiana limestone detailed in the Italian Renaissance style. The classic dignity of the rhythmic Ionic pilastered facade is enhanced by a raised stone-balustraded terrace regularly punctuated with bronze light fixtures. A heavy classical cornice terminates the vertical thrust of the pilasters and provides an appropriate cap to the monumental facade. The construction of a fivestory addition, completed in 1938, closes the original U-shaped plan, creating a light court for the upper floors and extending the classic facade around the building. The two main entrances, at either end of the south facade, are accented by pairs of heroic statues by John Massey Rhinde, leading into the Bedford stone-vaulted entrance lobbies.

The first floor and basement originally housed the post office. Ornate glass mosaic ceiling designs, marble-clad and pilastered walls and intricate marble floor patterns decorated the first floor public corridors. The original marble floors were replaced with terazzo flooring of similar design in 1963. An important interior feature is a set of two two-story self supporting curving marble staircases that flank the entrance lobbies.

The second floor houses the Department of Justice quarters, including two federal courtrooms. The third, fourth, and partial fifth floors house federal offices. The Law Library, originally described as the most handsome space in the building, but now greatly altered, is located in the center front of the second floor. The west courtroom contains an impressive array of decorations, including behind the bench a large mural "Appeal to Justice" by W. B. Van Ingen, a pupil of Thomas Eakins whose murals decorate several federal buildings, including the Congressional Library in Washington. The walls of this courtroom feature gray and white marble pilasters with bases and Corinthian capitals of bronze, separated by mahogany-framed gold-brocaded panels. Above the pilasters are painted the seals of the 13 original colonies and the state of Indiana. The 30-foot ceiling is divided into circular and octagonal panels, decorated with classic motifs and illuminated in gold and silver. Two large stained-glass windows, massive mahogany furnishings, marble floor and intricate bronze rail and additional testimony to the tasteful opulence of this noteworthy climax of monumental government architecture in the early 20th century.

	_
V	
Z	r
C	J
-	=
۲	
Ć	
_	•
Ξ	5
۵	
۱	-
v	,
2	_
_	_
_	_
Ľ	4
u	ı
V	7

Pre-Columbian 15th Century	16th Century 17th Century	☐ 18th Century ☐ 19th Century	🔯 20th Century
SPECIFIC DATE(S) (Il Applicable	and Known) 1905		
AREAS OF SIGNIFICANCE (Chec	k One or More as Appropriate	e)	
Aboriginal	Education	Political	Urban Planning
Prehistoric	Engineering	Religion/Phi+	Other (Specify)
Historic	Industry	losophy	
Agri culture	Invention	Science	
🔀 Architecture	Landscape	Sculpture	
	Architecture	Social/Human-	
Commerce	Literature	itarian	
Communications	Military	Theater	
Conservation	Music	Transportation	

The Federal Building is an excellent example of the Classic Revival style popular for public buildings at the turn of the century. Its interior is noted for two handsome self-supporting marble stairways, ornate mosaic tile clad vaulted ceilings, and trim of imported and domestic marble and carved wood, all representative of opulent public architecture of the early 20th century.

The site for the U.S. Courthouse Postoffice Building was purchased in 1900 for \$626,000 under the authorization of a congressional appropriation bill passed on March 1, 1899. The original section of the building was designed by the Philadelphia architects John Hall Rankin and Thomas W. Kellog. The John Pierce Co. of New York submitted the lowest construction bid for the project -- \$1,267,530 for the building exclusive of art work, equipment, and furnishings. E. C. Strathman was superintendent of construction and James Knox Taylor supervising architect for the Treasury Department. Ground was broken on May 29, 1902, and the cornerstone was laid March 25, 1903. The building was completed in September, 1905 to accommodate 925 federal employees.

Construction of the North third of the building began on September 24, 1936 and was completed May 21, 1938 at a cost of \$1,536,871. This addition extended the classical facade around the north side of the building and furthermore provided an appropriate classic elevation facing the important six block long, Beaux Arts inspired Indiana War Memorial Plaza, terminated at the north by Paul P. Cret's 1917 masterpiece of classic revival design, the Indianapolis Public Library.

A \$2,000,000 program to repair and air-condition the building was undertaken in 1962, resulting in the restoration of the building to its original grandeur.

ر " نسا	MAJOR I	BIBLIOGR	APHIC	AL RL	RENC	ES.								
	Indianapolis News, Sept. 2, 1905 Indianapolis News, March 1, 1972, "Federal Buildings Beauty Unknown" by Wayne Guthrie Indianapolis News, August 11, 1966, "Beauty of Federal Courtroom Shall Not Pass" by Jean McNaulty													
		bildi	LI NO	. 145	5 09	·			.,					
											* c 1.	• 4	ţ	
10.	GEØGR/	APHICAL	DATA									**		
	LA DEFINIT	TITUDE A	ND LO	NGITUDE	E COORD	NATES PROPE	RTY	0	DEFIN	ING THE	CENTER F ESS THAN	TUDE COOR OINT OF A TEN ACRE	PROPER	; RTY
-	CORNER	LA	TITUDI	Ē	L	ONGITUI	DE	R		LATITUDI	Ε,	L'C	NGITUDI	E
	Degrees Minutes Seconds Degrees Minutes							1	Degrees		Seconds	Degrees	Minutes	Seconds
	NW 0 , 11 1971 101 . 11 11 11) II		39	46		86	9	24
	NE	Late	·,	. "		egy) eg							เพื่อใน ก	- 1
-	SE SW	٥	,		ó		**] ''					
T	APPROX	IMATE AC							3/4					
	LIST AL	L STATES	AND C	OUNTIE	S FOR P	ROPERT	ES OVE	RL	APPING ST	TATE OR	COUNTY B	OUNDARIE	3	
	STATE			,		Ţŕ	CODE	4	COUNTY:			•		CODE
L								1						
	STATE:						CODE		COUNTY					CODE
ŀ								-+	COUNTY:					CODE
ļ	STATE:						CODE	-						0002
}	STATE:						CODE	+	COUNTY:			Ų		CODE
ļ	JIAIL.							7						
33	EORM I	PREPARE	D BY					.						
2018183	7	ND TITLE		•		*************						DATE		
		Bruce	E. G	oetzma	an Arc	hitec	t					Aug.	1, 19	73
Ţ	BUSINES	S ADDRE	ss:											,
ĺ		Bruce	E. G	oetzma	an Arc	hitec	t			33, 7, 1	15 to 15	<u> </u>		
Ī	STREET	AND NUM	IBER:									PHON		7011
		2606 \	/ine	Stree	t	1						(212)	281-7	CODE
ļ	CITY OF	TOWN:						ļ	STATE	_				039
		Cinci:	nnati	A ((() ()	nan				Ohie	O NATION	AL REGIS	TER VERI	FICATIO	
3.4	ecckon.	FICASIIOI	N C EN	· mina	M. F. 4. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8.			***			44	····		
		iaison Of	ficer re	commen	dation:		prox.	j	I hereby	certify the	hat this pr	operty is it	icluded i	in the
	И	^	/ 0	1	S		ı	ĺ		_			1	
		one	2.1	\mathbb{W}	\mathcal{V}					. 4.47.54	1.05 3.40	(Electric Ve	ar gali selegi T	>
	_	sta	le Liai	on Offic	er Signat	nte	:	-				45 45	, makiba	4
	In com	pliance wi	ith Eve	cutive (order 11	593, I be	reby	1	Director	, Office of	f Archeolog	y and Histor	ic Preser	vation
•		te this pro						-						
-		t the Stan										نم ځو تا		4
	1	which to						e-	_		1 N 4 N 7			
		oard and							_Date					

ATTEST:

Date

Keeper of The National Register

Date

Local

mended level of significance is National State

Federal Representative Signature

Title